


- **(+91 99099 06478**
- www.smitenterprise.info
- _smit.enterprise_
- f Smit Enterprise

WETAKE CARE OF YOUR SAFETY CONCERN











Secure Your Work Environment With Our Top Safety Gear!



Smit Enterprise is a well-known company in Ahmedabad, Gujarat providing a variety of netting solutions, including Invisible Grilles, Construction Safety Nets, Bird Nets, and Sports Nets. We have been serving the community for the past 10 years and are proud of our excellent customer service and attention to detail.

Our team consists of skilled professionals who prioritize safety during on-site work. We use high-quality materials to ensure our nets are perfect for a wide range of uses. Smit Enterprise is committed to offering the best netting services and creating a safe and healthy environment. The satisfaction of our many customers is a evidence to our reliability.

OUR SERVICES:



Construction
Safety Nets Mfg
& Installation



Industrial Safety Nets Installation



PPE's Providers



Anti Bird Proofing Services



Road Safety Services



Sports Nets Installation

SAFETY NETS: KEY POINTS

A fall from a height is likely to result in a serious injury. By installing safety nets below a high-level work area, there is less likelihood that the person will be injured if they fall.

- Safety nets installed below a high level work area reduce the distance a person can fall.
- Safety nets are designed to deflect and absorb the energy of a fall so they reduce the likelihood of a person being injured.
- ▶ There must be enough clear space below the net so that as the net deflects, the person who has fallen does not strike an obstacle or the ground.
- Safety nets allow people to work at height without restricting their movement.

WHY INVEST IN SAFETY NETS:

Ensuring construction safety is a shared responsibility that benefits everyone involved. It not only protects workers but also boosts productivity and efficiency. Statistics show that a safe work environment leads to on-time project completion without the extra costs of delays. Among the various risks in the construction industry, accidents from falls and falling materials are the most deadly.

To manage these risks, a proactive approach is necessary. This includes carefully identifying hazards, assessing risks, and minimizing activities at heights where falls are a danger. Investing in systems that meet EN and OSHA standards is crucial. These systems, which include preventive and protective measures, help enhance overall safety on-site.

WE ARE ASSOCIATED WITH:



















SAFETY NETS RANGE:

1.	4 MM KNOTTED SINGLE LAYER SAFETY NETS	
2.	4 MM KNOTTED DOUBLE LAYER SAFETY NETS	3
3.	4 MM KNOTTED MONO NETS TYPE SAFETY NETS	
4.	4 MM KNOTTED TRIPLE TYPE LAYER SAFETY NETS	4
5.	5 MM KNOTTED DOUBLE LAYER SAFETY NETS	
6.	5 MM KNOTTED WITH MONO DOUBLE LAYER SAFETY NETS	5
7.	5 MM KNOTTED TRIPLE LAYER SAFETY NETS	
8.	6 MM KNOTTED DOUBLE LAYER SAFETY NETS	6
9.	6 MM KNOTTED WITH MONO DOUBLE LAYER SAFETY NETS	
10.	6 MM KNOTTED TRIPLE LAYER SAFETY NET	7
11.	8 MM PASSING WITH KNOTTED SINGLE LAYER SAFETY NETS	
12.	8 MM PASSING TYPE DOUBLE LAYER SAFETY NETS	8
13.	8 MM KNOTTED TYPE DOUBLE LAYER SAFETY NETS	
14.	8 MM PASSING WITH KNOTTED TRIPLE LAYER SAFETY NETS	9
15.	2.5 MM BRAIDED/25 MM MESH SINGLE LAYER SAFETY NETS	
16.	2.5 MM BRAIDED/30 MM MESH DOUBLE LAYER SAFETY NETS	10
17.	5 MM BRAIDED DOUBLE LAYER SAFETY NETS	
18.	5 MM BRAIDED TRIPLE LAYER SAFETY NETS	11
19.	CARGO SAFETY NETS	
20.	SCRAMBLE NETS	12
21.	SAFETY FAN NET SYSTEM	
22.	GARWARE SAFETY NETS	13
23.	GARWARE RESCUE KIT	
24.	GARWARE SAFETY KIT	14

1. Construction Safety Nets





2. Sports Cricket Net



3. Bird Protection Net



4. Head & Face Protection



5. Body Protection:









6. Foot Protection:









7. Road Safety Products:









8. Fire Protection:















CODE:- SMT:01/4+12 (S)

1. 4 MM KNOTTED LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 4mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:02/4+12


2. 4 MM KNOTTED DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 4mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver Overlav Containment HDPE Blue Nets Dia 1mm. Mesh Size 15-22mm
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:03/4+12 (MN)

3. 4 MM KNOTTED MONO NETS TYPE SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 4mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Square Knotted Type
 - **Tie Rope & Tie Cord -** Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:04/4+12 (MN)


4. 4 MM KNOTTED TRIPLE LAYER TYPE SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 4mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver Overlay Containment HDPE Blue Nets Dia 1mm, Mesh Size 15-22mm
- Third Layer HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:05/5+12 (K)

5. 5 MM KNOTTED DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 5mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver Overlav Containment HDPE Blue Nets Dia 1mm. Mesh Size 15-22mm
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:06/5+12 (MN)

6. 5 MM KNOTTED WITH MONO DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 4mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:07/5+12 (T)

7. 5 MM KNOTTED TRIPLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 5mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver Overlav Containment HDPE Blue Nets Dia 1mm. Mesh Size 15-22mm
- Third Layer HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:08/6+12 (K)

8. 6 MM KNOTTED DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 6mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120/130/140 mm x 100/110/120/130/140 mm Square / 4"x4"
- Second Laver Overlay Containment HDPE Blue Nets Dia 1mm, Mesh Size 15-22mm
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:09/6+12 (MN)

9. 6 MM KNOTTED WITH MONO DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 6mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120 mm x 100/110/120 mm Square / 4"x4"
- Second Layer HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:10/6+12 (T)


10. 6 MM KNOTTED TRIPLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 6mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120 mm x 100/110/120 mm Square / 4"x4"
- Second Layer Overlay Containment HDPE Blue Nets Dia 1mm, Mesh Size 15-22mm
- Third Layer HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Square Knotted Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:11/8+12 (P)

11. 8 MM PASSING WITH KNOTTED SINGLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 8mm IS: 5175:2014 (Breaking Strength 214 kgf.)
- Mesh Size 100/110/120 mm x 100/110/120 mm Square / 4"x4"
- Fabricating Passing With Knotted
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long
- at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:12/8+12 (P)

12. 8 MM PASSING TYPE DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 8mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120 mm x 100/110/120 mm Square / 4"x4"
- Second Laver Overlay Containment HDPE Blue Nets Dia 1mm. Mesh Size 15-22mm
- Fabricating Passing Type Nets
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984










CODE:- SMT:13/8+12 (PK)

13. 8 MM KNOTTED TYPE DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 8mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120 mm x 100/110/120 mm Square / 4"x4"
- Second Layer Overlay Containment HDPE Blue Nets Dia 1mm, Mesh Size 15-22mm
- Fabricating Passing With Knotted Type Nets
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:14/8+12 (T)


14. 8 MM PASSING WITH KNOTTED TRIPLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Rope/Mesh Rope 8mm IS: 5175:2014 (Breaking Strength 602 kgf.)
- Mesh Size 100/110/120 mm x 100/110/120 mm Square / 4"x4"
- Second Layer Overlay Containment HDPE Blue Nets Dia 1mm, Mesh Size 15-22mm
- Third Layer HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Passing With Knotted Type
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:15/2.5+12 (BR)

15. 2.5 MM BRAIDED/25 MM MESH SINGLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm (Maxima Rope IS: 14929 # 2700 Kgf.)
- Inside Twine Dia 2.5 mm HDPE Twine (100 Kgf.)
- Mesh Size 30mm x 30mm Square
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved P.P. Rope Use By Super Tuf Certified to IS:14929 & Safety Net Made By IS Per EN:1263 Part 1





CODE:- SMT:16/4+12 (T)

16. 2.5 MM BRAIDED/30 MM MESH DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm (Maxima Rope IS: 14929 # 2700 Kgf.)
- Inside Twine Dia 2.5 mm HDPE Twine (100 Kgf.)
- Mesh Size 30mm x 30mm Square
- Fabricating Heat treated machine made knotting
- Tie Rope & Tie Cord Tie cord 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved P.P. Rope Use By Super Tuf Certified to IS:14929 & Safety Net Made By IS Per EN:1263 Part 1









CODE:- SMT:17/5+12 (BRD)

17. 5 MM BRAIDED DOUBLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Twine Dia 5mm braided HDPE Twine (100 Kgf.)
- Mesh Size 100mm x 100mm Square / 4"x4"
- Second Laver Overlav Containment HDPE Blue Nets Dia 1mm. Mesh Size 15-22mm
- Fabricating Passing With Knotted Type Nets
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:18/5+12(BRDT)


18. 5 MM BRAIDED TRIPLE LAYER SAFETY NETS

- Border & Tie Cord Rope 12mm IS: 5175:2014 (Breaking Strength 2210 kgf.)
- Inside Twine Dia 5mm braided HDPE Twine (100 Kqf.)
- Mesh Size 100mm x 100mm Square / 4"x4"
- Second Laver HDPE Monofilament UV Stabilized Net 115-120 GSM Colour Green/Blue/Red
- Fabricating Heat Treated Machine Made Knotting
- Tie Rope & Tie Cord Tie cords 2 metre long at four corners and 1 metre long at every 2 metre
- Standard Size 5 Mtr x 10 Mtr / 3 Mtr x 10 Mtr
- Standard / Approved Made By Al Tufrope P.P. Rope Certified to IS:5175:2014 & Safety Net Made By IS Per IS:11057:1984









CODE:- SMT:19/CRG

19. CARGO SAFETY NETS

Border & Tie Cord Rope - 16mm/18mm/20mm & 24mm

Inside Rope / Mesh Rope - 12mm/16mm/20mm

Mesh Size - 6 Inch X 6 Inch / 10 Inch X 10 Inch

Fabricating - Interlock Passing Types

Tie Rope & Tie Cord - Tie cords 2 metre long at four corners and 1 metre long at every 2 metre

Standard / Approved - P.P. Rope Certified to IS:5175:2014

(Options Of Customized Sizes Are Also Available)





CODE:- SMT:20/SCRM

20. SCRAMBLE NETS

- Material Polyamide Multifilament Rope as per IS 4572 1992 (BIS Mark) Or Polypropylene Rope
- VRope Diameter 18.0mm / 20mm
- Mesh Size 250mm x 250mm
- Float Size 190 mm X 150 mm X 55 mm hole
- FRP Core Size (Minimum) 50 mm OD & 40 mm ID. Additional reinforcement shall be
- provided for Scramble net having length more than 20 meter.
- Construction
 - a) Plastic covered FRP core at 4 m interval with minimum three float. Floats should not come in same mesh in subsequent core. No float required in last two scores.
 - b) Total 3 hooks having spring loaded lock arrangements with D-Shackle shall be provided.







CODE:- SMT:21/EN-1263

21. SAFETY NET FAN SYSTEM

- Three Layer Safety Nets Fan Prevents Person / Debris / Objects Including Wedge-Pins, Nails, Nut Bolts Etc. Falling On People / Property Below.
- Safety Net System Arrests and Absorbs Impact of falling objects. E.g. Testing done with 100 Kg Mass From Height 7 Mtr.
- Best Suitable Frame Work System with Quick and Easy to Installation.
- First Laver: 5 mm Braided Knotted Or Knotless Mesh 75 mm Or 100 mm Square
- Second Layer: 2.50 mm Braided Knotted Or Knotless Mesh 25 mm Or 24 mm Square
- Triple Layer: Monofilament UV Stabilized Net with Welding Grinding Splatter Resistant Green/Red 120 to 180 GSM
- Fan Net Size: 4.2 Mtr X 6 mtr / 3.3 Mtr X 6 Mtr / 3-3.3 Mtr X 4.2 Mtr / 4-4.6 Mtr X 6 Mtr



CODE:- SMT:22/BSN

22. GARWARE SAFETY NETS

- PPMF Safety reduces risk of injury by deflecting and absorbing energy from falling objects
- Easy to clean due to low moistening characteristics in the Industrial Grade Yarns.
- **High Quality fabricated netting:** Audit advantage & high brand value of builder / Ensure 100% functional delivery
- Approval and Certification: Testing Criteria for Safety Nets as per EN 1263 1
- Permanent knot tightening upon net impact is not applicable to knotless nets. (Permanent knot tightening reduces the amount of energy the net can absorb)
- Longer lifespan than braided nets due to high UV%







CODE:- SMT:23/GEN-03

23. GARWARE RESCUE KIT

- The kit contains equipment as per the requirement of the personal engaged in working on height.
- Equipped with all the products that are required by the personnel for rescue as well as maintenance jobs.



CODE:- SMT:24/GEN-04

24. GARWARE SAFETY KIT

• This kit is designed for the personnel engaged in working on high rise tower with an extra facility of bigger Hooks & Easily adjustable lanyards to suit the requirements of the working individuals.



OUR CLIENTS

At Smit Enterprise, we are proud to serve a wide range of clients across different industries. Our high-quality safety nets and equipment have gained the trust of many businesses, including construction companies, residential buildings, and factories. We are committed to providing products that meet the highest safety standards, ensuring that people and properties are well-protected.

We Worked For 500+ Satisfied Clients In Gujarat!









Over time, our client list has grown, showing the reliability of our products. Whether it's a small business or a large company, our safety solutions have been used in many projects to keep workers and residents safe. We continue to focus on delivering customized safety solutions that meet the specific needs of each client.



Invisible



Grilles •

Our invisible grilles are the perfect fusion of security and aesthetics. Crafted from high-quality stainless steel, our grilles are not only incredibly strong but also virtually invisible, offering unobstructed views and enhanced safety for your balconies, windows, and open spaces. Our innovative designs complement the aesthetics of your home or office, seamlessly blending with the architectural beauty of your space.

Key Features:

- Unparalleled Security: Keep your loved ones and pets safe with our sturdy invisible grilles.
- Unobstructed Views: Enjoy breathtaking views without compromising on safety.
- Durability: Our grilles are built to withstand the test of time and the elements.



Cricket



Box Net -

At Care-X, we understand the passion that cricket lovers hold for the game. That's why we offer top-notch box cricket nets that provide a safe and enjoyable environment for practicing and playing cricket. Our nets are designed with precision and durability in mind, ensuring an exceptional cricketing experience.

Key Features:

- Superior Safety: Our nets are designed to keep the cricket ball well-contained within the practice area, ensuring the safety of players and spectators.
- **Excellent Durability:** Constructed from high-quality materials, our box cricket nets can withstand the rigors of intense practice sessions.
- Customization: We can tailor the size and specifications of the cricket net to meet your specific requirements.



Polypropylene Rope (P.P. Rope)





Yellow Ropes

Green Ropes

			Weight	Breaking Strength	
		Circm. (Inch)	Kgs/220 Mtrs	Kgf	Mtrs./kg
4	5/32	1/2	1.63	214	135.00
6	1/4	3/4	3.67	602	60.00
8	5/16	1	6.60	1060	33.30
10	3/8	1.1/4	10.00	1560	22.00
12	1/2	1.1/2	14.50	2210	15.20
14	9/16	1.3/4	20.00	3050	11.00
16	5/8	2	25.50	3770	8.60
18	3/4	2.1/4	32.50	4810	6.80
20	13/16	2.1/2	40.00	5800	5.50
22	7/8	2.3/4	48.50	6960	4.50
24	1	3	57.00	8130	3.90
28	1.1/8	3.1/2	78.00	10700	2.80
30	1.1/4	3.3/4	89.00	12220	2.40
32	1.5/16	4	101.00	13500	2.20
36	1.7/16	4.1/2	129.00	16930	1.70
40	1.5/8	5	158.00	20500	1.40
44	1.3/4	5.1/2	194.00	24640	1.13
48	2	6	229.00	28610	0.96



Address: Smit Enterprise

Block-2, Shade-5, Shyam Jyot Business Park, Nr. M.G. Textile, Narol, Ahmedabad, Gujarat - 382405

Contact No. 8460690620 | 9601872986 9909906478 | 7285019876

Email: smitsafetysolution@gmail.com

Website: www.smitenterprise.info